
# POSTERS

# **SCREEN SIZE:**

50" - 65"

- ❷ Built-in Android Player
- O Lightweight Design





#### 50" - 65" Models

The tempered glass face, rounded corners, super slim perceived depth, aluminium surround and narrow border around the screen give a captivating tablet-like aesthetic.



# USB Upload or Network Upgrade

Content can be easily uploaded to the in-built media player by USB stick or remotley via Network Cloud CMS.



### 24/7 Commercial Use

Designed for continuous use in public spaces, these displays utilise commercial grade LCD panels, LED backlights and internal components.



# **Easy Manoeuvrability**

Thanks to the lightweight design, integrated castors and recessed rear handles, these displays offer a portable solution that can be easily moved around.

www.invokedigitalsignage.co.uk





10/05/23

# FREESTANDING DIGITAL POSTERS - Specification Table

Panel Information	Panel Size	50 Inch	55 Inch	65 Inch
	Resolution	1080 x 1920	1080 x 1920	2160 x 3840
	Display Area (mm)	603 x 1072mm	681.4 x 1210.6mm	802.5 x 1427.5mm
	Aspect Ratio	9:16	9:16	9:16
	Brightness	450nit/cd	450nit/cd	450nit/cd
	Colour	16.7M	16.7M	16.7M
	Viewing Angle	178°	178°	178°
	Contrast Ratio	5000:1	5000:1	1200:1
Audio	Speaker Type	Stereo:10W, 4Ω x 2		
AV Inputs	Video	HDMI, VGA		
	Audio Input	Audio Socket (3.5mm)		
Power	Power Consumption (W) >115			
	Input Voltage	AC110~240V (50Hz~60Hz)		
Mechanical	Unit Size (WxHxD mm)	665.6 x 1843.1 x 41.2	744 x 1911.5 x 41.2	883.6 x 2018 x 92.8
	Package Size (WxHxD mm)	880 x 1975 x 280	961 x 2035 x 270	1000 x 2138 x 800
	Footprint (WxH)	665.6 x 500	744 x 500	883.6 x 634.87
	Net Weight (kg)	47.95	69.5	92
	Gross Weight (kg)	78	93	102
Environment	Operating Temperature	0 °C to 40 °C	0 °C to 40 °C	0 °C to 40 °C
	Storage Temperature	-10°C to 55°C	-10°C to 55°C	-10°C to 55°C
	Operating Humidity	10% to 80%	10% to 80%	10% to 80%
	Storage Humidity	10% to 80%	10% to 80%	10% to 80%
Computer	Graphic Engine	OpenGL ES 1.1/2.0/3.0/3.1, OpenGL 1.1, Renderscript, Direct3D 11.1		
	CPU Quad-Core ARM Cortex A17, 1.6GHz			
	GPU	Quad-Core ARM Mali-T764		
	RAM	DDR3 2GB		
	Internal Storage	8GB eMMC		
	USB	1 x USB (OTG/HOST), 1 x USB (HOST)		
	LAN	100M/1000M Ethernet		
	Wi-Fi	802.11b/g/n/ac		
	Bluetooth	Bluetooth 4.2		
	OS	Android 7.1		
	Other	No accessible buttons or controls		
Accessories	Included	Remote Control, User Manual, Power Cable, USB to USB Cable, Wi-Fi Aerial		
	Optional	Network Upgrade		
Warranty	Warranty Period	3 Year Warranty		
	Technical Support	Lifetime		

Errors and omissions excepted







#### Internal Locker

Having a lockable compartment in the rear of the display with space to fit a small PC or media player means running the screen from an external source is easy – simply use the HDMI or VGA and 5mm audio inputs. This device can be powered from inside the locker with no need for additional power cables.



#### 450cd/m<sup>2</sup> IPS Panel

Commercial grade IPS technology ensures incredible image quality and colour depth with no fall-off in colour accuracy, as well as achieving ultimate lifelike colour from an ultra-wide viewing angle in portrait orientation.





#### 24/7 Commercial Grade

Designed for continuous use in public spaces, these displays utilise commercial grade LCD panels, LED backlights and internal components. This means they can run 24/7. To avoid tampering, they also have no external buttons or controls.



#### Easy Manoeuvrability

Thanks to the lightweight design, integrated castors and recessed rear handles, these displays offer a portable solution that can be easily moved around. For more permanent installations, the retractable feet can be used to keep the display in place.



#### **Built-In Speakers**

Take your digital signage solution to the next level by adding an audio element using the two integrated slimline speakers.



#### Free Scheduling Software

With the Network Upgrade option these displays come with free scheduling software for displaying different content at different times of the day.



#### **Power Timer**

The eco-friendly power timer allows you to assign daily or weekly on and off times for your screen meaning that it is only in use when it needs to be.




#### **Black Version Available**

Although the standard white model offers a clean, modern aesthetic, if you're after a more classic look there is also a piano black version available upon request.



# 50" Technical Drawing 55" Technical Drawing

#### 65" Technical Drawing



# **Ideal for:**

- Hair Salons
- Beauty Salons
- Aesthétic Clinics
- Dental Clinics
- Opticians
- Pharmacies
- Travel Agents
- Estate Agents
- Restaurants
- Takeaways
- Dry Cleaners

Grab attention BOOST Sales!







# Why Digital Signage?

Key Statistics that Prove Digital Signage

# **Grab Attention & BOOST Sales!**

Digital Displays capture 400% more views than static displays.





8/10 customers have entered a store because of a sign catching their interest.

One retailer noted a 24% increase in footfall after implementing digital signage technologies s





Nearly **7 in 10** customers have purchased a product or service because a sign caught their eye .

80% of brands experienced an increase of up to 33% in additional sales through the use of digital signage





#### Everyone's a winner

Halo effect from the advertised product 7x sales increase on the family of brands 11x sales increase on the overall category a

Digital Signage recall rate is higher than any form of traditional media with 83% of people recalling at least one ad seen on a digital billboard in the past 30 days





www.invokedigitalsignage.co.uk

800% advertising revenue increase using Digital vs static signage in OOH

1200% revenue increase by switching to interactive or touch screen advertising over static signage 10



Digital Signage reduces perceived wait times at checkout by as much as 35%





'Occupied time feels shorter than unoccupied time' -David Maister - Psychology of queing »



Digital menu boards typically present a 5% sales lift.

#### Tips to make your signage work



Make it relevant, easy to read & attractive. Use motion where possible, keep it short (around 15 seconds).



Commercial grade for extended use & durability. Components that work when you need them & require minimal maintenance.

#### Hardware Specifications

Select the right components to deliver the content playback performance your content requires and is suitable for the installation environment.

www.grandviewresearch.com/industry-analysis/digital-signage-market www.arbitron.com/downloads/arbitron\_digital\_billboard\_study.pdf www.visiblebanking.com/infographics-retailbankingbranches-digitalsignage-newdesign-11925/2/ www.smallbusinessbonfire.com/wp-content/uploads/2012/05/fedex\_sign\_infographic.jpg about.van.fedex.com/newsroom/global-english/fedex-office-survey-standout-signs-contribute-to-sales/ www.digitalsignagetoday.com/news/nielsen-study-dooh-increases-revenue-at-the-point-of-sale-2/

 $www.eclipsedigitalmedia.co.uk/top-benefits-and-roi-of-digital-menu-boards-2014/\\www.digitalsignagetoday.com/blogs/beating-the-elements-with-outdoor-digital-signage-infographic/$ davidmaister.com/articles/the-psychology-of-waiting-lines/



