

# VIDEO WALL DISPLAY

## **PANEL SIZE:**

49" - 55"

- Built-in Android Player
- Landscape or Portrait







#### 49" & 55" Models


Incredibly sleek, stylish and slim yet extremely visible with a choice of sizes; 49" & 55", all with a bright 500nit/cd display. Designed to stand out in busy retail and commercial environments 24/7.



## **USB Upload or Network Upgrade**


Content can be easily uploaded to the in-built media player by USB stick or remotley via Network Cloud CMS.

www.invokedigitalsignage.co.uk



## 24/7 Commercial Use

These displays use a commercial grade LCD panel and LED backlight. They have the ability to be in constant use 24/7 and have no external buttons or controls to avoid tampering.



## **Lightweight Design**

By using less and lighter materials this generation is considerably lighter than the previous version, making installation and maintenance much more convenient.







## VIDEO WALL Display- Specification Table

Panel Information	Panel Size	49 Inch	55 Inch
	Resolution	1920 x 1080	1920 x 1080
	Bezel Size	Bottom/right: 2.34, Top/left: 1.16	Bottom/right: 1.2, Top/left: 2.3
	Display Area (mm)	1074mm x 604.3mm	1209.9mm x 680.7mm
	Aspect Ratio	16:9	16:9
	Brightness	500nit/cd	500nit/cd
	Colour	16.7M	16.7M
	Colour Temperature	10,000К	10,000К
	Viewing Angle	178°	178°
	Contrast Ratio	1,300:1	1,300:1
AV Inputs	Inputs DisplayPort In, HDMI In x2, RS-232 In		
	Outputs	DisplayPort Out, RS-232 Out	
Power	Power Consumption (W)	<120W	<200W
	Input Voltage	AC110~240V (50Hz/60Hz)	
	Input Voltage	VESA DPMS	
Mechanical	Unit Size (WxHxD mm)	1077.5 x 607.8 x 101.6	1213.4 x 684.2 x 106.9
	Package Size (WxHxD mm)	1210 x 730 x 210	1345 x 820 x 210
	VESA Holes (mm)	600 x 400 M6	600 x 400 M6
	Net Weight (kg)	14.4	17.15
	Gross Weight (kg)	20.1	23.75
Environment	Operating Temperature	0 °C to 50 °C	
	Storage Temperature	-30°C to 60°C	
	Working Pressure	800 - 1114 hPa (Altitude:0-2,000m)	
Accessories	Included 1.	1.5m HDMI Cable, LAN Cable and IR Sensor, Remote Control, 1.5m Power Cable, User Manual	
	Optional	Network Upgrade, Touch Screen Frame	
Warranty	Warranty Period	3 Year Warranty	
	Technical Support	Lifetime	

Errors and omissions excepted



## **VIDEO WALL Display - Features**

#### Super Narrow Bezel (3.5mm)

With a total panel-to-panel bezel size of 3.5mm these displays are ideal as part of a virtually seamless LCD video wall - providing you with an eye catching, and content focused display. Their super narrow bezel allows you to build video walls of any size.



#### 4K Compatible Video Wall

With large video walls content resolution is very important. If you have a 4K source you can achieve extraordinary image quality and ultra-high definition without the need to scale devices or purchase any external matrix controller.





#### 24/7 Commercial Grade

These displays use a commercial grade LCD panel and LED components. They have the ability to be in constant use 24/7 and have no external buttons or controls to avoid tampering.





#### **Eco Friendly Display**

Designed to perform at high quality levels while operating at a lower energy usage, these displays feature LED backlight technology that reduces power consumption by around 30%. They also feature an eco-friendly power timer that recognises your input signal so they automatically power off and on and are only in use when needed.





Low Power Consumption



Eco Friendly Power Timer

#### 500nit/cd IPS Panel


With a brightness of 500nit/cd that ensures high visibility even under bright ambient light, these commercial grade IPS panels are designed to achieve ultimate lifelike colour with a remarkable viewing angle of 178° in both landscape and portrait.





#### Multiple Inputs

Featuring HDMI and DisplayPort inputs, these displays are ideal whether the screens are being used individually, as part of a video wall using the internal video matrix processor or being run from an external matrix controller.



- DisplayPort Out 5. IR Extension
  HDMI In x2 6. RS-232 In
  DisplayPort In x2 7. RS-232 Out
  USB (Firmware Updates)

#### Resistant to Blackening

These displays feature a fanless cooling system that keeps panels and other internal components at the optimum working temperature. This not only provides resistance to blackening but it also ensures a long and reliable life for your screens.



#### Optional External Network Upgrade

With our Cloud Network Media Player, you can connect your video wall via Wi-Fi, LAN or 4G, and then remotely update it over the internet. Additionally, you can manage the content displayed with our user-friendly content management system.













## VIDEO WALL Display - Technical Drawing

## 49" Technical Drawing


405


## 913.9





## 55" Technical Drawing





## **VIDEO WALL Display - Key Features**



## Ideal for:

- **Hair Salons**
- **Beauty Salons**
- Aesthetic Clinics
- **Dental Clinics**
- **Opticians**
- **Pharmacies**
- **Travel Agents**
- **Estate Agents**
- Restaurants
- Takeaways
- **Dry Cleaners**

**Grab attention BOOST Sales!** 















## Why Digital Signage?

Key Statistics that Prove Digital Signage

## **Grab Attention & BOOST Sales!**

Digital Displays capture 400% more views than static displays.





8/10 customers have entered a store because of a sign catching their interest.

One retailer noted a 24% increase in footfall after implementing digital signage technologies s





Nearly **7 in 10** customers have purchased a product or service because a sign caught their eye .

80% of brands experienced an increase of up to 33% in additional sales through the use of digital signage





#### Everyone's a winner

Halo effect from the advertised product 7x sales increase on the family of brands 11x sales increase on the overall category a

Digital Signage recall rate is higher than any form of traditional media with 83% of people recalling at least one ad seen on a digital billboard in the past 30 days





www.invokedigitalsignage.co.uk

800% advertising revenue increase using Digital vs static signage in OOH

1200% revenue increase by switching to interactive or touch screen advertising over static signage 10



Digital Signage reduces perceived wait times at checkout by as much as 35%





'Occupied time feels shorter than unoccupied time' -David Maister - Psychology of queing »



Digital menu boards typically present a 5% sales lift.

#### Tips to make your signage work



Make it relevant, easy to read & attractive. Use motion where possible, keep it short (around 15 seconds).



Commercial grade for extended use & durability. Components that work when you need them & require minimal maintenance.

### Hardware Specifications

Select the right components to deliver the content playback performance your content requires and is suitable for the installation environment.

www.grandviewresearch.com/industry-analysis/digital-signage-market www.arbitron.com/downloads/arbitron\_digital\_billboard\_study.pdf www.visiblebanking.com/infographics-retailbankingbranches-digitalsignage-newdesign-11925/2/ www.smallbusinessbonfire.com/wp-content/uploads/2012/05/fedex\_sign\_infographic.jpg about.van.fedex.com/newsroom/global-english/fedex-office-survey-standout-signs-contribute-to-sales/ www.digitalsignagetoday.com/news/nielsen-study-dooh-increases-revenue-at-the-point-of-sale-2/

 $www.eclipsedigitalmedia.co.uk/top-benefits-and-roi-of-digital-menu-boards-2014/\\www.digitalsignagetoday.com/blogs/beating-the-elements-with-outdoor-digital-signage-infographic/$ davidmaister.com/articles/the-psychology-of-waiting-lines/



